

Proiect

Exemplu complex de realizare a unei baze de date si a exploatarii ei ONLINE

Contents

<!--Structura tabelelor -->.....	2
<!--Capturi ale machetelor de I/E -->.....	3
<!--Capturi de vizualizare ale conținuturilor tabelelor -->.....	6
<!-- index.php - fișierul sursă principal -->.....	7
<!-- contact.php - pagina cu informații de contact -->.....	7
<!-- conn.php - fișierul cu parametri de conexiune -->.....	7
<!-- MagN.php - formularul de adăugare produs nou -->.....	8
<!-- ScriptN.php - scriptul pentru formularul de adăugare produse -->.....	8
<!-- MagS.php - formularul de editare produse -->.....	9
<!-- MagGal.php - afișarea catalogului produselor în galerie -->.....	10
<!-- RulN.php - formularul pentru adăugarea unei operații de rulaj -->.....	12
<!-- ScriptRN.php - scriptul pentru formularul de adăugare rulaj -->.....	12
<!-- RulS.php - formularul de editare a unei operații de rulaj -->.....	13
<!-- RulGal.php - listarea operațiilor de rulaj -->.....	14
<!-- Fisa.php - listarea fișei de I/E ale unui produs -->.....	16
<!-- Balanta.php - listarea balanței de I/E a produselor -->.....	19

<!-- Structura tabelor -->

```
DROP TABLE IF EXISTS AproVanz;  
DROP TABLE IF EXISTS Casieri;  
DROP TABLE IF EXISTS Marfuri ;  
DROP TABLE IF EXISTS Raioane ;  
DROP TABLE IF EXISTS Stocuri ;
```

```
CREATE TABLE AproVanz (  
    NrDoc int NOT NULL,  
    CodMarf float NOT NULL,  
    DataVanz datetime NOT NULL,  
    CantVand float NULL,  
    Casier float NULL,  
    TipOper varchar (4) NULL,  
    CONSTRAINT Constraint_name PRIMARY KEY (NrDoc ,CodMarf ,DataVanz)) ;
```


```
CREATE TABLE Casieri (  
    Marca varchar (255) NOT NULL ,  
    Nume varchar (255) NULL,  
    Varsta float NULL,  
    Studii varchar (255) NULL) ;
```

```
CREATE TABLE Marfuri (  
    Cod int NOT NULL PRIMARY KEY,  
    DenuProd varchar (50) NULL,  
    UM varchar (10) NULL,  
    Pret float NULL,  
    TVA float NULL,  
    CodRaion float NULL) ;
```

```
CREATE TABLE Raioane (  
    Cod int NOT NULL PRIMARY KEY,  
    Raion float NULL,  
    Denumire varchar (30) NULL ) ;
```

```
CREATE TABLE Stocuri (  
    CodMarf int NOT NULL,  
    Cant float NULL,  
    DataCrt datetime NOT NULL,  
    CONSTRAINT Constraint_name PRIMARY KEY ( CodMarf ,DataCrt)) ;
```

<!--Capturi ale machetelor de I/E -->



localhost/mag/magN.php

Aplicații https://webmail.ins... Coronavirus COVID... Coror

Cod

Denumire produs

UM

Pret

TVA : 19% 9%

Raionul

Salvare

[revenire la galerie](#)

Formularul are controale: etichete, casete text (TextBox), casete control (CheckBox), butoane radio, caseta combinata(ComboBox), butoane: de ok, de cancel, reset, etc

In spatele butoanelor avem nevoie de script-uri (Perl, C++, **PHP**, Java, aspx, etc)

localhost/mag/MagS.php

Aplicații https://webmail.ins... Coronavirus COVID... Coronavirus Updat.

Cod

Denumire produs

UM

Pret

TVA : 19% 9%

Raionul

Salvare

[revenire la galerie](#) [Produsul urmator](#)

localhost/mag/RulGal.php

Aplicații https://webmail.ins... Coronavirus COVID... Coronavirus Updat... Alte marcaje

Magazin

Rulajul marfurilor

[introducere operatie noua](#) [revenire la meniu](#)

Nr. doc	Data	Marfa	UM	Pret	Cantitate opearata	Valoare	casier	Tip operatie	Editare/Stergere
1	14.11.19	11, zahar	kg	3.33	100	333	10, Ioana Radu	e	editare
1	14.11.19	12, faina 000	kg888	3.5	75	262.5	10, Ioana Radu	i	editare
1	14.11.19	76, ulei	fl	4.35	45	195.75	10, Ioana Radu	i	editare
3	15.11.19	56, Paine la tava	buc	5.2	250	1300	10, Ioana Radu	e	editare
11	18.11.19	11, zahar	kg	3.33	3	9.99	10, Ioana Radu	e	editare
11	18.11.19	12, faina 000	kg888	3.5	2	7	10, Ioana Radu	e	editare
11	18.11.19	56, Paine la tava	buc	5.2	1	5.2	10, Ioana Radu	e	editare
12	18.11.19	56, Paine la tava	buc	5.2	2	10.4	10, Ioana Radu	e	editare
13	18.11.19	11, zahar	kg	3.33	6	19.98	10, Ioana Radu	i	editare
66	09.01.20	56, Paine la tava	buc	5.2	250	1300	,	i	editare

localhost/mag/balanta.php

Aplicații https://webmail.ins... Coronavirus COVID... Coronavirus Updat... Alte marcaje

Data initiala 01.01.2020 Data finala 18.03.2020

Salvare

[Revenire la meniu](#)

Magazin

BALANTA marfurilor 2020-01-01 - 2020-03-18

Cod	Denumire	UM	Pret	Cantitativ				Valoric			
				Stoc initial	Intrari	Iesiri	Stoc final	Sold initial	Intrari	Iesiri	Sold final
399	99 cu trei	m	123	0	0	0	0	0	0	0	0
87	caiet studentesc	buc	7.7	0	0	0	0	0	0	0	0
92	ciocolata cu alune	buc	4.35	0	0	0	0	0	0	0	0
12	faina 000	kg888	3.5	73	0	0	73	255.5	0	0	255.5
56	Paine la tava	buc	5.2	-203	250	0	47	-1055.6	1300	0	244.4
23	pix	buc	2.1	0	0	0	0	0	0	0	0
76	ulei	fl	4.35	45	0	0	45	195.75	0	0	195.75
11	zahar	kg	3.33	3	0	0	3	9.99	0	0	9.99
Total								-594.36	1300	0	705.64

localhost/mag/Fisa...

Aplicații https://webmail.ins... Alte marcaje

Fisa

de intrari - iesiri a marfurilor

Cod	Denumire	UM	Pret
11	zahar	kg	3.33

		Cantitati			Valoare		
Data	Pret	Intrari	Iesiri	Stoc	Intrari	Iesiri	Sold
10.10.19	3.33	100	0	100	333	0	333
14.11.19	3.33	0	100	0	0	333	0
18.11.19	3.33	0	3	-3	0	9.99	-9.99
18.11.19	3.33	6	0	3	19.98	0	9.99
Total		106	103	3	352.98	342.99	33.2667

[revenire la meniu](#) [Produsul urmator](#)

<!—Capturi de vizualizare ale conținuturilor tabelelor -->

marfuri | aprovanz x

Limit to 1000 rows

```
1 • SELECT * FROM neludb.aprovanz;
```

Result Grid | Filter Rows: | Edit: | Export/Import:

	NrDoc	CodMarf	DataVanz	CantVand	Casier	TipOper
▶	1	11	2019-11-14 00:00:00	100	10	e
	1	12	2019-11-14 00:00:00	75	10	i
	1	76	2019-11-14 00:00:00	45	10	i
	3	56	2019-11-15 00:00:00	250	10	e
	11	11	2019-11-18 00:00:00	3	10	e
	11	12	2019-11-18 00:00:00	2	10	e
	11	56	2019-11-18 00:00:00	1	10	e
	12	56	2019-11-18 00:00:00	2	10	e
	13	11	2019-11-18 00:00:00	6	10	i
	66	56	2020-01-09 00:00:00	250	NULL	i
*	NULL	NULL	NULL	NULL	NULL	NULL

aprovanz 1 x | Apply | Revert

marfuri x | aprovanz

Limit to 1000 rows

```
1 • SELECT * FROM neludb.marfuri;
```

Result Grid | Filter Rows: | Edit: | Export/Import:

	Cod	DenuProd	UM	Pret	TVA	CodRaion
	11	zahar	kg	3.33	9	10
	12	faina 000	kg888	3.5	9	10
	23	pix	buc	2.1	19	20
	56	Paine la tava	buc	5.2	9	10
	76	ulei	fl	4.35	9	10
	87	caiet studentesc	buc	7.7	19	20
▶	92	ciocolata cu alune	buc	4.35	19	10
	399	99 cu trei	m	123	9	20
*	NULL	NULL	NULL	NULL	NULL	NULL

marfuri 1 x | Apply | Revert

<!-- index.php - fișierul sursă principal -->

```
<!DOCTYPE html>
<head><meta http-equiv="Content-Type" content="text/html; charset=utf-8">
<title> MAGAZIN</title>
<link rel="shortcut icon" href="favicon.ico"/>
<script type="text/javascript" src="https://xn--doro-txb.eu/meniu/js.js"></script>
<link rel="stylesheet" type="text/css" href="https://xn--doro-txb.eu/meniu/css.css"
media="screen, projection" />
</head>
<body>
<script> </script>

<div id="mainContainer">
<a href="."></a>

<div id="dhtmlgoodies_menu" >
  <ul>
    <li><a href=".">Home</a>
    </li>
    <li><a href="."> Produse</a>
      <ul>
        <li><a href="./MagGal.php">Catalog</a></li>
        <li><a href="./MagN.php">Produs Nou</a></li>
        <li><a href="./MagS.php">Editare Produs</a></li>
      </ul>
    </li>
    <li><a href=".">Rulaje</a>
      <ul>
        <li><a href="./RulGal.php">Jurnal Operatii</a> </li>
        <li><a href="./RulN.php">Operatie Noua</a></li>
      </ul>
    </li>
    <li> <a href="."> Contabile </a>
      <ul>
        <li><a href="./Balanta.php">Balanta marfurilor</a> </li>
        <li><a href="./Fisa.php">Fisa unei marfi</a></li>
      </ul>
    </li>
    <li><a href="./contact.php">Contact</a>
    </li>
  </ul>
</div>

  <p style="font-size:18px;color:green;">
    Website cu o aplicatie magazin
```

<!-- contact.php - pagina cu informații de contact -->

```
<font color=red>
<h1> Xulescu clasa a XII-a A</h1>
In banca a patra randul de la geam ....
</font>
<hr>
<h4 style="text-align:left"><a href = "./" > Revenire la meniu</a></h4>
```

<!-- conn.php - fișierul cu parametrii de conexiune -->

```
<?php
$servername = "localhost";
$username = "root";
$password = "root";
$dbname = "neluDB";
?>
```

<!-- MagN.php - formularul de adăugare produs nou -->

```
<head>
<style>
label
{display: block; float: left; width: 200px;
}
</style>
</head>
<body>
<div style="width: 60%; border-width: 1px; border-style: dotted; padding: 15px">
<form action="scriptn.php" method="post" >
<label>Cod </label><input type="text" name="cod" size=30 ><br>
<label>Denumire produs</label> <input type="text" name="denuprod" size=30><br>
<label>UM </label><input type="text" name="um" size=30><br>
<label>Pret </label> <input type="text" name="pret" size=30><br>
<label>TVA :</label>
  19%<input type="radio" name="tva" value=19 checked >
  9% <input type="radio" name="tva" value=9 ><br>
<label>Raionul </label><select name="raion">
  <option>Alimentare</option>
  <option selected>NeAlimentare</option>
</select><br>
<input type="submit" value="Salvare">
</form>
</div>

<h3><a href =maggal.php> revenire la galerie</a></h3>
```

<!-- ScriptN.php - scriptul pentru formularul de adăugare produse -->

```
<?php
include 'conn.php';
$conn=new mysqli($servername,$username,$password,$dbname);
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}

$cod=$_POST["cod"];
$denuprod=$_POST["denuprod"];
$um=$_POST["um"];
$pret=$_POST["pret"];
$tva=$_POST["tva"];

$raion=$_POST["raion"];
if($raion=="Alimentare")
    $codraion=10;
else
    $codraion=20;

$sql="insert into marfuri (cod,denuprod,um,pret,tva,codraion)
values ('$cod','$denuprod','$um', $pret , $tva , '$codraion' )";
if($conn->query($sql) == TRUE)
    echo "Succes:". $sql;
else
    echo "Inserare nereusita " . $sql. "=====" ;
?>
<h3><a href =maggal.php> revenire la galerie</a></h3>
```


<!-- MagS.php - formularul de editare produse -->

```
<head>
<style>
label
{display: block; float: left; width: 200px;
}
</style>
</head>
<body>

<?php
include 'conn.php';
$conn=new mysqli($servername,$username,$password,$dbname);
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
if( !isset($_GET["cod"])) $_GET["cod"]=0;
$cod=$_GET["cod"] ;

if(isset($_POST["cod"])) ///// daca e script de formular
{
    if(isset($_POST["cod"]))
        $cod=$_POST["cod"];

    $denuprod=$_POST["denuprod"];
    $um=$_POST["um"];
    $pret=$_POST["pret"];
    $tva=$_POST["tva"];

    $raion=$_POST["raion"];
    if($raion=="Alimentare")
        $codraion=10;
    else
        $codraion=20;
    $sql="update marfuri set denuprod='$denuprod',um='$um',pret=$pret,tva= $tva
,codraion='$codraion' WHERE cod=$cod";
    if($conn->query($sql) == TRUE)
        echo "Succes:". $sql;
    else
        echo "actualizare nereusita ". $sql. "=====". $t19." .". $t9.$raion ;
}

if(isset($_GET["cod"]))
{
    $cod=$_GET["cod"];
    $sql="SELECT cod ,denuprod ,um ,pret,tva ,codraion FROM marfuri WHERE cod >=$cod
LIMIT 1 ";

    if($row = $conn->query($sql) ->fetch_assoc())
    {
        $cod=$row["cod"];
        $denuprod=$row["denuprod"];
        $um=$row["um"];
        $pret=$row["pret"];
        $tva = $row["tva"];
        $codraion = $row["codraion"];
    }
}

?>
```


<!-- RulN.php - formularul pentru adăugarea unei operații de rulaj -->

```
<head>
<style>
label
{display: block; float: left; width: 200px;
}
</style>
</head>
<body>

<div style="width: 60%; border-width: 1px; border-style: dotted; padding: 15px;">
<form action="ScriptRN.php" method="post" >
<label>Nr. doc </label><input type="text" name="nrdoc" size=30 ><br>
<label>Data vanzarii </label><input type="date" name="datavanz" size=30 ><br>
<label>Cod marfa </label><input type="text" name="codmarf" size=30 ><br>
<label>Denumire produs</label> <input type="text" name="denuprod" size=30
    readonly style="background-color: #ffffaa"><br>
<label>UM </label><input type="text" name="um" size=30
    readonly style="background-color: #ffffaa"><br>
<label>Pret </label> <input type="text" name="pret" size=30
    readonly style="background-color: #ffffaa"><br>
<label>Cantitate </label> <input type="text" name="cantvand" size=30><br>
<label>Valoare </label> <input type="text" name="valoare" size=30
    readonly style="background-color: #ffffaa"><br>
<label>Tip operatie</label>
    I/<input type="radio" name="tipoper" value="i" checked >
    /E <input type="radio" name="tipoper" value="e" ><br>
<label>Casier </label><select name="casier">
    <option>Alimentare</option>
    <option selected>NeAlimentare</option>
</select><br>
<input type="submit" value="Salvare">
</form>
</div>

<h3><a href="RulGal.php"> revenire la galerie</a></h3>
```

<!-- ScriptRN.php - scriptul pentru formularul de adăugare rulaj -->

```
<?php
include 'conn.php';
$conn=new mysqli($servername,$username,$password,$dbname);
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}

$codmarf=$_POST["codmarf"];
$nrdoc=$_POST["nrdoc"];
$datavanz= $_POST["datavanz"] ;;
$cantvand=$_POST["cantvand"];
$casier=$_POST["casier"];
$um=$_POST["um"];
$pret=$_POST["pret"];
$valoare=round($_POST["valoare"],2);
$tipoper=$_POST["tipoper"];
$denuprod=$_POST["denuprod"];
$nume=$_POST["nume"];
$sql="update aprovanz set cantvand= $cantvand ,tipoper= '$tipoper'
    WHERE codmarf=$codmarf and nrdoc=$nrdoc and
date_format(datavanz,'%d.%m.%y')='$datavanz'";
```

```

$sql="INSERT INTO `aprovanz` (`NrDoc`,`CodMarf`,`DataVanz`,`CantVand`,`TipOper`)
VALUES ('$nrdoc', '$codmarf', '$datavanz', $cantvand, '$tipoper');
";
if($conn->query($sql) == TRUE)
    echo "Succes:". $sql;
else
    echo "Inserare nereusita ". $sql. "=====" ;
?>
<h3><a href =RulGal.php> revenire la galerie</a></h3>

```

<!-- RulS.php - formularul de editare a unei operatii de rulaj -->

```

<head>
<style>
label
{display: block; float: left; width: 200px;
}
</style>
</head>
<body>

<?php
include 'conn.php';
$conn=new mysqli($servername,$username,$password,$dbname);
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
if( !isset($_GET["codmarf"])) $_GET["codmarf"]=0;
$codmarf=$_GET["codmarf"] ;

if(isset($_POST["codmarf"])) ///// daca e script de formular
{
    $codmarf=$_POST["codmarf"];
    $nrdoc=$_POST["nrdoc"];
    $datavanz= $_POST["datavanz"] ;;
    $cantvand=$_POST["cantvand"];
    $casier=$_POST["casier"];
    $um=$_POST["um"];
    $pret=$_POST["pret"];
    $valoare=round($_POST["valoare"],2);
    $tipoper=$_POST["tipoper"];
    $denuprod=$_POST["denuprod"];
    $nume=$_POST["nume"];
    $sql="update aprovanz set cantvand= $cantvand ,tipoper= '$tipoper'
        WHERE codmarf=$codmarf and nrdoc=$nrdoc and
date_format(datavanz,'%d.%m.%y')='$datavanz'";
    if($conn->query($sql) == TRUE)
        echo "Succes:". $sql;
    else
        echo "actualizare nereusita ". $sql. "=====" . $t19." .". $t9.$raion ;
}

if(isset($_GET["codmarf"]))
{
    $codmarf=$_GET["codmarf"];
    $nrdoc=$_GET["nrdoc"];
    $datavanz=$_GET["datavanz"];

    $sql="SELECT nrdoc, codmarf, denuprod, DATE_FORMAT(datavanz,'%d.%m.%y') as
datavanz, cantvand,
    um, pret, pret*cantvand as valoare, casier, nume, tipoper

```

```

FROM marfuri INNER JOIN aprovanz ON marfuri.cod=codmarf
left JOIN casieri on casieri.marca=casier
WHERE codmarf=$codmarf and nrdoc=$nrdoc and
date_format(datavanz,'%d.%m.%y')='$datavanz' LIMIT 1 ";

```

```

if($row = $conn->query($sql) ->fetch_assoc())
{
    $codmarf=$row["codmarf"];
    $nrdoc=$row["nrdoc"];
    $datavanz= $row["datavanz"] ;;
    $cantvand=$row["cantvand"];
    $casier=$row["casier"];
    $um=$row["um"];
    $pret=$row["pret"];
    $valoare=round($row["valoare"],2);
    $tipoper=$row["tipoper"];
    $denuprod=$row["denuprod"];
    $nume=$row["nume"];
}
}
?>

```

```

<div style="width:60%;border-width:1px;border-style:dotted;padding:15px">
<form action="RulS.php?codmarf=<?php echo $codmarf; ?>&nrdoc=<?php echo $nrdoc;
?>&datavanz=<?php echo $datavanz;?>" method="post" >
<label>Nr. doc</label><input type ="text" name="nrdoc" size=30 readonly
value ="<?php echo $nrdoc; ?>" style="background-color:#ffffaa"><br>
<label>Data vanzarii</label><input type ="text" name="datavanz" size=30 readonly
value ="<?php echo $datavanz; ?>" style="background-color:#ffffaa"><br>
<label>Cod marfa</label><input type ="text" name="codmarf" size=30 readonly
value ="<?php echo $codmarf; ?>" style="background-color:#ffffaa"><br>
<label>Denumire produs</label><input type ="text" name ="denuprod" size=30 readonly
value ="<?php echo $denuprod; ?>" style="background-color:#ffffaa"><br>
<label>UM</label><input type ="text" name="um" size=30 readonly
value ="<?php echo $um; ?>" style="background-color:#ffffaa"><br>
<label>Pret</label> <input type ="text" name="pret" size=30 readonly
value ="<?php echo $pret; ?>" style="background-color:#ffffaa"><br>
<label>Cantitate</label> <input type ="text" name="cantvand" size=30
value ="<?php echo $cantvand; ?>" ><br>
<label>Valoare</label> <input type ="text" name="valoare" size=30 readonly
value ="<?php echo $valoare; ?>" style="background-color:#ffffaa"><br>
<label>Tip operatie</label>
I/<input type ="radio" name="tipoper" value ="i" <?php if($tipoper=='i') echo
'checked'; ?> >
/E <input type ="radio" name="tipoper" value ="e" <?php if($tipoper=='e') echo
'checked'; ?>><br>
<label>Casier</label><select name="casier" style="background-color:#ffffaa">
<option>Alimentare</option>
<option selected>NeAlimentare</option>
</select><br>
<input type ="submit" value="Salvare">
</form>
</div>

```

<h3> revenire la LISTA RULAJ</h3>

<!-- RulGal.php - listarea operatiilor de rulaj -->

```

<!DOCTYPE html>
<html>
<head>

```



```

<?php
include 'conn.php';
$conn=new mysqli($servername,$username,$password,$dbname);
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
$sql="SELECT nrdoc,codmarf,denuprod,DATE_FORMAT(datavanz,'%d.%m.%y') as
datavanz,cantvand,
    um, pret,pret*cantvand as valoare,casier,nume,tipoper
    FROM marfuri INNER JOIN aprovanz ON marfuri.cod=codmarf
    left JOIN casieri on casieri.marca=casier ";
$res=$conn->query($sql);

while($row=$res->fetch_assoc())
{
    $newlink =
"RulS.php?codmarf=".$row["codmarf"]."&nrdoc=".$row["nrdoc"]."&datavanz=".$row["datavanz"]
;

    $codmarf=$row["codmarf"];
    $nrdoc=$row["nrdoc"];
    $datavanz= $row["datavanz"] ;;
    $cantvand=$row["cantvand"];
    $casier=$row["casier"];
    $um=$row["um"];
    $pret=$row["pret"];
    $valoare=round($row["valoare"],2);
    $tipoper=$row["tipoper"];
    $denuprod=$row["denuprod"];
    $nume=$row["nume"];

    echo "<tr><td> $nrdoc <td> $datavanz<td> $codmarf, $denuprod <td> $um
    <td> $pret<td> $cantvand<td> $valoare<td> $casier, $nume<td> $tipoper<td>
    <a href='".$newlink.'" > editare</a>" ;
}

?>
</table>
<div class="clearfix"></div>

<div style="padding: 6px;">
    <p>.....</p>
    <p>.....</p>
</div>

</body>
</html>

```

<!-- Fisa.php - listarea fișei de I/E ale unui produs -->

```

<!DOCTYPE html>
<html>
<head>
<style>
td
{text-align:center;
}
div.gallery {
border: 1px solid #ccc;
height:210px;
}

div.gallery:hover {
border: 1px solid #777;
}

```



```

div.gallery img {
    width: 100%;
    height: 100%;
}

div.desc {
    padding: 15px;
    text-align: center;
}

* {
    box-sizing: border-box;
}

.responsive {
    padding: 0 6px;
    float: left;
    width: 24.99999%;
    margin:10px;
    height:250px;
}

@media only screen and (max-width: 700px) {
    .responsive {
        width: 49.99999%;
        margin: 6px 0;
    }
}

@media only screen and (max-width: 500px) {
    .responsive {
        width: 100%;
    }
}

.clearfix:after {
    content: "";
    display: table;
    clear: both;
}

```

```

</style>
</head>
<body>

```

```

<h2>Fisa </h2>
<h4>de intrari - iesiri a marfurilor</h4>
<hr>
<table border=1>
<tr><th> Cod <th> Denumire<th>UM <th> Pret

```

```

<?php
include 'conn.php';
$conn=new mysqli($servername,$username,$password,$dbname);
if ($conn->connect_error) {
    die("Connection failed: " . $conn->connect_error);
}
if( !isset($_GET["cod"])) $_GET["cod"]=0;
$cod=$_GET["cod"] ;

```

```

$sql='SELECT marfuri.cod, marfuri.denuprod , marfuri.um as um, marfuri.pret as pret
FROM marfuri WHERE cod>='. $_GET["cod"] . ' LIMIT 1';
$res=$conn->query($sql);
while($row=$res->fetch_assoc())
{

```



```
<div style="padding:6px;">
  <p>.....</p>
  <p>.....</p>
</div>

</body>
</html>
```

<!-- Balanta.php - listarea balanței de I/E a produselor -->

```
<!DOCTYPE html>
<html>
<head>
<style>
td
{text-align:center;
}
div.gallery {
border: 1px solid #ccc;
height:210px;
}

div.gallery:hover {
border: 1px solid #777;
}

div.gallery img {
width: 100%;
height: 100%;
}

div.desc {
padding: 15px;
text-align: center;
}

* {
box-sizing: border-box;
}

.responsive {
padding: 0 6px;
float: left;
width: 24.99999%;
margin:10px;
height:250px;
}

@media only screen and (max-width: 700px) {
.responsive {
width: 49.99999%;
margin: 6px 0;
}
}

@media only screen and (max-width: 500px) {
.responsive {
width: 100%;
}
}

.clearfix:after {
content: "";
display: table;
clear: both;
}
```

```

}
</style>
</head>
<body>

<?php
if(!isset($_POST["datai"])) $_POST["datai"]=date("Y-m-d");
if(!isset($_POST["datas"])) $_POST["datas"]=date("Y-m-d");
$datai= $_POST["datai"] ;
$datas= $_POST["datas"] ;

?>

<div style="width:80%;border-width:1px;border-style:dotted;padding:15px">
<form action="balanta.php" method="post" >
<label>Data initiala </label><input type="date" name="datai" size=30
value = "<?php echo $datai ; ?>" style="background-color:#ffffaa">
<label>Data finala </label><input type="date" name="datas" size=30
value = "<?php echo $datas; ?>" style="background-color:#ffffaa"><br>
<input type="submit" value="Salvare" >
<h4 style="text-align:right"><a href = "./" > Revenire la meniu</a></h4>

</form>
</div>

<div style="width:80%;text-align:center">
<h2>Magazin</h2>
<h4>BALANTA marfurilor <?php echo $datai. " - ". $datas ; ?></h4>
<hr>
</div>

<table border=1>
<tr><th rowspan=2> Cod <th rowspan=2> Denumire<th rowspan=2>UM <th rowspan=2> Pret
<th colspan=4> Cantitativ <th colspan=4> Valoric</tr>
<tr> <th> Stoc initial <th>Intrari<th>Iesiri<th>Stoc final
<th> Sold initial <th>Intrari<th>Iesiri<th>Sold final</tr>

<?php
include 'conn.php';
$conn=new mysqli($servername,$username,$password,$dbname);
if ($conn->connect_error) {
die("Connection failed: " . $conn->connect_error);
}
$sql='SELECT marfuri.cod, marfuri.denuprod , marfuri.um as um, marfuri.pret as pret,
cant AS ss, 0 AS ii, 0 AS ee, 0 as nrdoc,
datacrt as datavanz, "_sold initial" as comentariu
FROM marfuri LEFT JOIN stocuri ON marfuri.cod = stocuri.codmarf
UNION
SELECT marfuri.cod, marfuri.denuprod , marfuri.um, marfuri.pret as pret, 0 AS ss, if(
tipoper in ("I","i"), cantvand,0) AS ii,
if( tipoper not in ("I","i"), cantvand ,0) AS ee, nrdoc, datavanz, "*****" as
comentariu
FROM marfuri JOIN aprovanz ON marfuri.cod = aprovanz.codmarf
ORDER BY denuprod,comentariu,datavanz';
$res=$conn->query($sql);
$stss=0;$stii=0;$stee=0; $stsf=0;
$stvss=0;$stvii=0;$stvee=0; $stvsf=0;
$first=1;
$codsav=-1;
while($row=$res->fetch_assoc())
{
if( $codsav !=$row["cod"])
{
if($first!=1)
{
$stsf= $stss +$stii-$stee ;

```

```

    $pret=$pretsav;
    $vsf= $tsf*$pret; $vss= $tss*$pret;
    $vii= $tii*$pret; $vee= $tee*$pret;;
    $tvss+=$vss;$tvii+=$vii;$tvee+=$vee; $tvssf+=$vsf;

    echo "<tr><td>$codsav <td style='text-align:left'> $denusav <td> $umsav<td>
$pretsav
<td> $tss<td> $tii<td> $tee <td> $tsf <td> $vss<td> $vii<td> $vee <td> $vsf " ;
} $first=0;
$tss=0;$tii=0;$tee=0;
$codsav=$row["cod"];$denusav=$row["denuprod"];
$umsav=$row["um"];$pretsav=$row["pret"];
}
    $ss=$row["ss"];
    $ii=$row["ii"];
    $ee=$row["ee"];

    if($row["datavanz"]<$datai)
    {
        $tss+= $ss + $ii - $ee;
    }
    else if($row["datavanz"]<=$datas)
    {
        $tii+= $ii; $tee+= $ee;
    }
}

if($first!=1)
{
    $tsf= $tss +$tii-$tee ;
    $pret=$pretsav;
    $vsf= $tsf*$pret; $vss= $tss*$pret;
    $vii= $tii*$pret; $vee= $tee*$pret;;
    $tvss+=$vss;$tvii+=$vii;$tvee+=$vee; $tvssf+=$vsf;

    echo "<tr><td>$codsav <td style='text-align:left'> $denusav <td> $umsav<td>
$pretsav
<td> $tss<td> $tii<td> $tee <td> $tsf <td> $vss<td> $vii<td> $vee <td> $vsf " ;

    echo "<tr><th colspan=8>T o t a l
<td> $tvss<td> $tvii<td> $tvee <td> $tvssf " ;

}

?>
</table>
<div class="clearfix"></div>

<div style="padding: 6px;">
    <p>.....</p>
    <p>.....</p>
</div>

</body>
</html>

```